



#### Streamline sample storage, identification and handling with AltemisLab™

Founded by an experienced team with considerable industry knowledge. AltemisLab utilises this expertise to deliver the highest quality products and exceptional service.

Helping customers to map work flows and identify the tools that will realise practical, financial and time saving benefits.

The founders of AltemisLab have been working with 2D barcoded tubes since 2000, when this technology was first used by pharmaceutical companies for compound storage.

AltemisLab 2D barcoded tubes, barcode readers, de-capping and capping equipment, liquid handling and lab tools epitomise efficiency and ease of use. With AltemisLab you can rest assured that compliance, quality control and manufacturing excellence are at the foundation of all that we do.

#### **Contents**

| 01       | AltemisLab™ Introduction                               |
|----------|--|
| 03       | 2D barcoded AlteTubes™                                 |
| 07       | 96 SBS rack format                                     |
| 09       | 48 SBS & Large rack format                             |
| 35       | Barcode readers  |
| 37       | AlteRead™ Single tube readers                          |
| 38       | AlteRead™ SBS and large format rack readers            |
| 39       | AlteRead™ Software                                     |
| 40       | AlteRead™ set-up packs                                 |
| 41       | AlteCap™ screw cap handling                            |
| 42       | AlteCap™ Solo  |
| 43       | AlteCap™ Switch  |
| 45       | AlteCap™ Swift   |
| 47       | AlteTools™   |
| 47       |  |
| 47       | Twin thawing station                                   |
|          | Multi thawing station                                  |
| 49       | AlteCap™ septum capper                                 |
| 49       | AlteCap™ septum decappers                              |
| 50<br>50 | AlteTube™ pick up device<br>AlteTube™ aluminium blocks |
|          | AlteTube™ aluminium blocks AlteTube™ workstation       |
| 50<br>51 |  |
| _        | AlteTube <sup>TM</sup> selector                        |
| 51       | AlteTube™ ice pans & ice buckets                       |
| 54       | AltemisLab™ service & support                          |

# Superior quality 2D barcoded tubes to assist sample identification

The founders of AltemisLab have been working with 2D barcoded tubes since 2000, when this technology was first used by pharmaceutical companies for compound storage.

Using our knowledge and experience we have set out to perfect 2D tube design and we are proud to introduce our AlteTube™ range of sample storage tubes.

Whatever your need, if you have a new sample storage requirement or if you are considering an automated system, we have the sample tube solution for you.

Transforming lab technique

IDENTIFY PRESERVE PROCESS



# High quality 2D barcoded tubes to assist sample identification

#### **Quality checked**

Every tube meets our exacting standards for readability. Every barcode is checked to guarantee uniqueness across the AlteTube<sup>TM</sup> range.

#### Razor-sharp clarity

Precise design and manufacturing ensure all tubes and rack lids have exceptional transparency.

#### **Product development**

Creating new and custom product solutions to meet future demands.

#### **Purity assurance**

Clean room production. All tubes are manufactured from medical grade virgin polypropylene and certified DNA, RNA, DNase, RNase, Endotoxin (Pyrogen) free.

#### Additive free

AlteTube™ products and packaging components are certified free from heavy metals, phthalates, latex, and Bisphenol A.


#### **Quality management**

Our manufacturing facility is ISO 9001:2015 and ISO 14001:2015 accredited.

# 2D DataMatrix barcodes adhere to the ECC200 standard



#### Anatomy of a 2D DataMatrix barcode



#### Code recovery built into ECC200

Reed-Solomon error correction reconstructs and verifies data for improved accuracy. DataMatrix codes can still be decoded if damaged by 30%.

#### Benefits of 2D DataMatrix barcodes

- Never misreads or reports a wrong number.
- Readable at contrast levels as low as 20%.
- Significantly smaller compared to 1D barcodes.

### Ensure sample safety with AlteTubes™

The correct size and purity level of your sample storage consumables is critical for protecting the integrity of your samples. The AltemisLab team is happy to advise and help you make an informed decision on which tube size and purity level is correct for your samples and work flow.

# What is the difference between AlteClean™ and AlteClean™ Sterile products?

#### **AlteClean**™

Manufactured in a clean room environment and certified free of non-viable biologics. AlteClean consumables exhibit no detectable DNA, RNA, DNase, RNase, or endotoxins.

#### AlteClean<sup>™</sup> Sterile

We use E-beam sterilisation which inactivates microorganisms either by causing microbial death as a direct effect of the destruction of a vital molecule or by an indirect chemical reaction. This is done in addition to AlteClean<sup>TM</sup>.



#### Purity level guidance by application

| AlteClean™           |          |             | AlteClean <sup>™</sup> Sterile   |
|----------------------|----------|-------------|----------------------------------|
| DNA & RNA sequencing | Molecula | r Biology   | Cell Culture                     |
| Genomics             | Gene T   | -<br>herapy | Microbiology                     |
| Proteomics           | Biothera | apeutics    | Plant or Animal derived products |

## Consideration of the sample volume, sample type and storage conditions are key when choosing the correct tube size

Samples with a high-water content, including biological samples, increase in volume as they freeze. This expansion should be accounted for when selecting sample tubes. Our recommended maximum sample working volume for each tube size can be found on the tube specification pages and we provide tube samples for your own in-house verification.

## Septum cap tubes in 96 SBS rack format

|                              | 10  |  |                             | 761                 |                     |
|------------------------------|---|--|-----------------------------|---------------------|---------------------|
|                              | 0.5ml<br>Septum cap                       | 0.75ml<br>Septum cap   | 0.75ml<br>Septum cap [only] | 1.1ml<br>Septum cap | 1.4ml<br>Septum cap |
| Thread type                  | Internal                                  | Internal   | N/A                         | Internal            | Internal            |
| Max working volume - ml      | 0.35                                      | 0.59   | 0.65                        | 0.85                | 0.99                |
| Min storage temperature - °C | -80                                       | -80  | -80                         | -80                 | -80                 |
| Tube height - mm             | 20  | 27   | 33.5                        | 36.5                | 44                  |
| Tube height with cap - mm    | 21  | 28   | 34.5                        | 37.5                | 45                  |
| Inner diameter - mm          | 6.8                                       | 6.8  | 6.8                         | 6.8                 | 6.8                 |
| Outer diameter with cap - mm | 8.4                                       | 8.4  | 8.4                         | 8.4                 | 8.4                 |
| Tube centre to centre - mm   | 9.0                                       | 9.0  | 9.0                         | 9.0                 | 9.0                 |
| Identification               | 2D DataMatrix k                           | parcode on base  |                             |                     |                     |
| 2D DataMatrix barcode        |   | White on black, 3mm x 3mm, 2 alpha prefix (AL) & 8 numeric<br>Custom prefix available / Black on white available |                             |                     |                     |
| Capping options              | Septum caps                               |  |                             |                     |                     |
| Sterility options            | AlteClean <sup>™</sup> /Ste               | rile (E-Beam)/ Ethyle  | ene Oxide (EtO) on requ     | iest                |                     |
| Rack format                  | 8 x 12 - SBS (96                          | tubes)   |                             |                     |                     |
| Rack material                | Polypropylene base with polycarbonate lid |  |                             |                     |                     |
| Rack height with lid - mm    | 26  | 31   | 39                          | 44                  | 50                  |
| Case quantity                |   |  |                             |                     |                     |


For research use only.

### Screw cap tubes in 96 SBS rack format

|                              | 0.5ml<br>Screw cap                 | 0.75ml<br>Screw cap                     | 0.75ml<br>Screw cap                    | 1.1ml<br>Screw cap | 1.4ml<br>Screw cap | 1.4ml<br>Screw cap |
|------------------------------|------------------------------------|---|--|--------------------|--------------------|--------------------|
| Thread type                  | Internal                           | Internal                                | External                               | Internal           | Internal           | External           |
| Max working volume - ml      | 0.3                                | 0.49                                    | 0.55                                   | 0.75               | 0.92               | 0.95               |
| Min storage temperature - °C | -196                               | -196                                    | -196                                   | -196               | -196               | -196               |
| Tube height - mm             | 20                                 | 27                                      | 29.5                                   | 36.5               | 44                 | 46.1               |
| Tube height with cap - mm    | 27                                 | 34                                      | 32.5                                   | 43.5               | 51                 | 49.1               |
| Inner diameter - mm          | 6.8                                | 6.8                                     | 6.5                                    | 6.8                | 6.8                | 6.5                |
| Outer diameter with cap - mm | 8.4                                | 8.4                                     | 8.5                                    | 8.4                | 8.4                | 8.5                |
| Tube centre to centre - mm   | 9.0                                | 9.0                                     | 9.0                                    | 9.0                | 9.0                | 9.0                |
| Identification               | 2D DataMatrix b                    | parcode on base                         |  |                    |                    |                    |
| 2D DataMatrix barcode        |                                    | 3mm x 3mm, 2 alp<br>vailable / Black on | oha prefix (AL) & 8<br>white available | 3 numeric          |                    |                    |
| Capping options              | Screw caps                         |   |  |                    |                    |                    |
| Sterility options            | AlteClean™/Ste                     | rile (E-Beam)/ Eth                      | ylene Oxide (EtO)                      | on request         |                    |                    |
| Rack format                  | 8 x 12 - SBS (96                   | tubes)                                  |  |                    |                    |                    |
| Rack material                | Polypropylene b                    | ase with polycarb                       | onate lid                              |                    |                    |                    |
| Rack height with lid - mm    | 31                                 | 37                                      | 37                                     | 50                 | 55.5               | 55.5               |
| Case quantity                | Bulk packed tub<br>Racked tubes, n | 0 racks/case                            | 060/case<br>0 racks/case               |                    |                    |                    |


Warning: Caps should not be immersed in Liquid Nitrogen. AlteTubes should be stored in gas phase Liquid Nitrogen (GPLN) only. For research use only.

### Screw cap tubes in 48 SBS rack or large rack format



Warning: Caps should not be immersed in Liquid Nitrogen. AlteTubes should be stored in gas phase Liquid Nitrogen (GPLN) only. For research use only.

### Screw cap tubes in 48 SBS rack or large rack format



Warning: Caps should not be immersed in Liquid Nitrogen. AlteTubes should be stored in gas phase Liquid Nitrogen (GPLN) only. For research use only.

### 2D barcoded tubes



#### Innovative manufacturing process

AlteTube SBS format tubes are manufactured by a highly specialised and automated process, known as dual injection. Dual injection optimises copolymerisation of clear and black polypropylene during one cycle. Creating a powerful molecular bond between the clear tube and the black base. The result is the single piece AlteTube.



#### Permanent 2D barcode

The 2D DataMatrix barcode is laser etched on the black base of the tube. This highly durable 2D barcode is designed to survive in the harshest of lab environments.

### It's all about the closure



#### Internal thread screw caps

Manufactured by dual injection of ThermoPlastic Elastomer (TPE) and medical grade polypropylene.

#### **Exceptional performance**

One-piece cap provides a superior fixed seal. Eliminating the risk of leakage or cross-threading.



#### External thread screw caps

Increased working sample volume per tube compared to internal thread tubes in most storage conditions.

#### Clever cap design

Works to provide a deforming compression seal from a thread which secures very quickly.



#### Septum cap mats

96 individual TPE caps for 96 SBS format tubes.

#### Easy application and removal

Flexible backing mat allows simultaneous capping of 96 tubes. Automation friendly.

### 2D barcoded SBS racks



#### **SBS** format racks

Store 96 tubes in 8 x 12 rack format or 48 tubes in 8 x 6 rack format. Compatible with automation equipment for processing of 6, 8, 12, 48 or 96 tubes.

#### International SLAS/ANSI standards

Rack tolerances are precisely checked using advanced measuring equipment.




#### Robust and durable

Made from polypropylene base and polycarbonate lid.

#### Temperature range

-196°C to 121°C.




#### **Rack identification**

Individual racks are identified by one unique code in three formats. Embedded 2D barcode on the rack base with matching 1D barcode and human readable code on the rack – A1 short side.

#### 100% quality checks

Every rack barcode is checked for readability and uniqueness across the AlteTube range.

IDENTIFY — PRESERVE — PROCESS



#### **Anti-rotate rack**

Tubes grip in place allowing easy capping or decapping by hand or with automation equipment.



#### **Locking lid**

Securely closed lids for storage and shipping of samples.



#### Hinged and detachable lid

Access tubes in 96 SBS racks with lid hinged or completely detached for full access by automation equipment.



#### Completely detachable lid

Full access to tubes in 48 SBS racks for processing by hand or automation equipment.

## Cap carriers for screw caps



#### Cap carrier

Screw caps packaged in 96 and 48 SBS format. A1 lasered mark for correct orientation.



#### **Automation friendly**

For seamless automated capping of internal and external thread screw caps in 96 and 48 SBS formats.




#### Compatibility

Works with AlteCap Solo, Switch, Swift and Hamilton LabElite $^{\mathsf{M}}$  and a variety of automated, semi-automated or handheld devices.

### 2D barcoded large format racks







#### Large format racks

Store 81 tubes in a 9x9 format or 100 tubes in 10x10 format racks.

#### **Anti-rotate rack**

Tubes grip in place allowing easy capping or decapping by hand.

#### Robust and durable

Made from polycarbonate.

#### **Rack identification**

Embedded 2D barcode on the rack base with matching 1D barcode and human readable code on the rack wall.

#### Sample tracking

Capture and decode 81 or 100 tube 2D barcodes simultaneously on a large format rack barcode reader.


#### **Temperature range**

-196°C to 121°C.

# **0.5ml Septum cap AlteTube**™

|                               | 0.5ml Septum cap  |
|-------------------------------|---|
| Max working volume - ml       | 0.35  |
| Min temperature - °C          | -80   |
| Tube height - mm              | 20  |
| Tube height with TPE cap - mm | 21  |
| Inner diameter - mm           | 6.8   |
| Outer diameter - mm           | 8.4   |
| Identification                | 2D DataMatrix barcode   |
| Rack format                   | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm     | 26  |
| Sterility options             | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |








| Part No. | Description   | Packaging                                |
|----------|---|--|
| 201000   | 0.5ml 2D barcoded internal thread storage tube, no cap, AlteClean   | Bulk packed<br>960 tubes/case            |
| 201004   | 0.5ml 2D barcoded internal thread storage tube, SBS rack format, no cap, AlteClean                        | Racked<br>96 tubes/rack<br>10 racks/case |
| 201900   | TPE Septum caps for 96 SBS rack format tubes, automation friendly, white, AlteClean                       | 96/mat<br>10 mats/case                   |
| 201501   | Empty SBS 96 format rack for 0.5ml 2D barcoded storage tubes, for use with TPE septum cap only, AlteClean | Racked<br>96 tubes/rack<br>10 racks/case |

# **0.75ml Septum cap AlteTube**™

|                               | 0.75ml Septum cap   |
|-------------------------------|---|
| Max working volume - ml       | 0.59  |
| Min temperature - °C          | -80   |
| Tube height - mm              | 27  |
| Tube height with TPE cap - mm | 28  |
| Inner diameter - mm           | 6.8   |
| Outer diameter - mm           | 8.4   |
| Identification                | 2D DataMatrix barcode   |
| Rack format                   | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm     | 31  |
| Sterility options             | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description  | Packaging                                |
|----------|--|--|
| 201012   | 0.75ml 2D barcoded internal thread storage tube, no cap, AlteClean   | Bulk packed<br>960 tubes/case            |
| 201018   | 0.75ml 2D barcoded internal thread storage tube, SBS rack format, no cap, AlteClean                        | Racked<br>96 tubes/rack<br>10 racks/case |
| 201900   | TPE Septum caps for 96 SBS rack format tubes, automation friendly, white, AlteClean                        | 96/mat<br>10 mats/case                   |
| 201503   | Empty SBS 96 format rack for 0.75ml 2D barcoded storage tubes, for use with TPE septum cap only, AlteClean | Racked<br>96 tubes/rack<br>10 racks/case |

# **0.75ml Septum cap [only] AlteTube**™

|                               | 0.75ml Septum cap [only]   |
|-------------------------------|--|
| Max working volume - ml       | 0.65   |
| Min temperature - °C          | -80  |
| Tube height - mm              | 33.5   |
| Tube height with TPE cap - mm | 34.5   |
| Inner diameter - mm           | 6.8  |
| Outer diameter - mm           | 8.4  |
| Identification                | 2D DataMatrix barcode on tube base                                       |
| Rack format                   | 8 x 12 - SBS (96 tubes)  |
| Rack height with lid - mm     | 39   |
| Sterility options             | AlteClean <sup>TM</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |








| Part No. | Description  | Packaging                                |
|----------|--|--|
| 201014   | 0.75ml 2D barcoded no thread storage tube, no cap, AlteClean                                 | Bulk packed<br>960 tubes/case            |
| 201022   | 0.75ml 2D barcoded no thread storage tube, SBS rack format, no cap, AlteClean                | Racked<br>96 tubes/rack<br>10 racks/case |
| 201900   | TPE Septum caps for 96 SBS rack format tubes, automation friendly, white, AlteClean          | 96/mat<br>10 mats/case                   |
| 201504   | Empty SBS 96 format rack for 0.75ml TPE septum cap only 2D barcoded storage tubes, AlteClean | Racked<br>96 tubes/rack<br>10 racks/case |

# 1.1ml Septum cap AlteTube™

|                               | 1.1ml Septum cap  |
|-------------------------------|---|
| Max working volume - ml       | 0.85  |
| Min temperature - °C          | -80   |
| Tube height - mm              | 36.5  |
| Tube height with TPE cap - mm | 37.5  |
| Inner diameter - mm           | 6.8   |
| Outer diameter - mm           | 8.4   |
| Identification                | 2D DataMatrix barcode   |
| Rack format                   | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm     | 44  |
| Sterility options             | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description   | Packaging                                |
|----------|---|--|
| 201030   | 1.1ml 2D barcoded internal thread storage tube, no cap, AlteClean   | Bulk packed<br>960 tubes/case            |
| 201034   | 1.1ml 2D barcoded internal thread storage tube, SBS rack format, no cap, AlteClean                        | Racked<br>96 tubes/rack<br>10 racks/case |
| 201900   | TPE Septum caps for 96 SBS rack format tubes, automation friendly, white, AlteClean                       | 96/mat<br>10 mats/case                   |
| 201506   | Empty SBS 96 format rack for 1.1ml 2D barcoded storage tubes, for use with TPE septum cap only, AlteClean | Racked<br>96 tubes/rack<br>10 racks/case |

# **1.4ml Septum cap AlteTube**™

|                               | 1.4ml Septum cap  |
|-------------------------------|---|
| Max working volume - ml       | 0.99  |
| Min temperature - °C          | -80   |
| Tube height - mm              | 44  |
| Tube height with TPE cap - mm | 45  |
| Inner diameter - mm           | 6.8   |
| Outer diameter - mm           | 8.4   |
| Identification                | 2D DataMatrix barcode   |
| Rack format                   | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm     | 50  |
| Sterility options             | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description   | Packaging                                |
|----------|---|--|
| 201042   | 1.4ml 2D barcoded internal thread storage tube, no cap, AlteClean   | Bulk packed<br>960 tubes/case            |
| 201046   | 1.4ml 2D barcoded internal thread storage tube, SBS rack format, no cap, AlteClean                        | Racked<br>96 tubes/rack<br>10 racks/case |
| 201900   | TPE Septum caps for 96 SBS rack format tubes, automation friendly, white, AlteClean                       | 96/mat<br>10 mats/case                   |
| 201508   | Empty SBS 96 format rack for 1.4ml 2D barcoded storage tubes, for use with TPE septum cap only, AlteClean | Racked<br>96 tubes/rack<br>10 racks/case |

# **0.5ml Internal thread screw cap AlteTube**™

|                                 | 0.5ml Internal screw cap   |
|---------------------------------|--|
| Max working volume - ml         | 0.3  |
| Min temperature - °C            | -196 (GPLN)  |
| Tube height - mm                | 20   |
| Tube height with screw cap - mm | 27   |
| Inner diameter - mm             | 6.8  |
| Outer diameter - mm             | 8.4  |
| Identification                  | 2D DataMatrix barcode  |
| Rack format                     | 8 x 12 - SBS (96 tubes)  |
| Rack height with lid - mm       | 31   |
| Sterility options               | AlteClean <sup>TM</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |








| Part No. | Description  | Packaging                        |
|----------|--|----------------------------------|
| 201000   | 0.5ml 2D barcoded internal thread storage tube, no cap, AlteClean  | Bulk packed, 960 /case           |
| 201002   | 0.5ml 2D barcoded internal thread storage tube, precapped with screw cap, AlteClean  | Bulk packed, 960/case            |
| 201006   | 0.5ml 2D barcoded internal thread storage tube, SBS rack format, with high lid, no cap, AlteClean  | Racked, 96/rack<br>10 racks/case |
| 201008   | 0.5ml 2D barcoded internal thread storage tube, SBS rack format, precapped with screw cap, AlteClean   | Racked, 96/rack<br>10 racks/case |
| 201700   | Screw cap for internal thread storage tubes, SBS 96 rack format, yellow, AlteClean   | Bulk packed, 960 caps/case       |
| 201100   | Empty SBS 96 format cap carrier for AlteTube screw caps, AlteClean   | 10 cap carriers/case             |
| 201101   | SBS cap carrier prefilled with yellow internal thread AlteTube screw caps. For use with internal thread storage tubes in SBS 96 rack format, AlteClean | 10 cap carriers/case             |
| 201500   | Empty SBS 96 format rack for 0.5ml 2D barcoded storage tubes, AlteClean  | 10 racks/case                    |

# **0.75ml Internal thread screw cap AlteTube**™

|                                 | 0.75ml Internal screw cap   |
|---------------------------------|---|
| Max working volume - ml         | 0.49  |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 27  |
| Tube height with screw cap - mm | 34  |
| Inner diameter - mm             | 6.8   |
| Outer diameter - mm             | 8.4   |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm       | 37  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description  | Packaging                        |
|----------|--|----------------------------------|
| 201012   | 0.75ml 2D barcoded internal thread storage tube, no cap, AlteClean   | Bulk packed, 960 /case           |
| 201016   | 0.75ml 2D barcoded internal thread storage tube, precapped with screw cap, AlteClean   | Bulk packed, 960/case            |
| 201020   | 0.75ml 2D barcoded internal thread storage tube, SBS rack format, with high lid, no cap, AlteClean   | Racked, 96/rack<br>10 racks/case |
| 201024   | 0.75ml 2D barcoded internal thread storage tube, SBS rack format, precapped with screw cap, AlteClean  | Racked, 96/rack<br>10 racks/case |
| 201700   | Screw cap for internal thread storage tubes, SBS 96 rack format, yellow, AlteClean   | Bulk packed, 960 caps/case       |
| 201100   | Empty SBS 96 format cap carrier for AlteTube screw caps, AlteClean   | 10 cap carriers/case             |
| 201101   | SBS cap carrier prefilled with yellow internal thread AlteTube screw caps. For use with internal thread storage tubes in SBS 96 rack format, AlteClean | 10 cap carriers/case             |
| 201502   | Empty SBS 96 format rack for 0.75ml 2D barcoded storage tubes, AlteClean   | 10 racks/case                    |

# **0.75ml External Thread Screw Cap AlteTube**™

|                                 | 0.75ml External screw cap   |
|---------------------------------|---|
| Max working volume - ml         | 0.55  |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 29.5  |
| Tube height with screw cap - mm | 32.5  |
| Inner diameter - mm             | 6.5   |
| Outer diameter - mm             | 6.5   |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm       | 37  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |








| Part No. | Description  | Packaging                        |
|----------|--|----------------------------------|
| 201071   | 0.75mL 2D barcoded external thread storage tube, SBS rack format, no cap, AlteClean  | Bulk packed, 960 /case           |
| 201072   | 0.75mL 2D barcoded external thread storage tube, SBS rack format, precapped with Screw Cap, AlteClean  | Bulk packed, 960/case            |
| 201073   | 0.75mL 2D barcoded external thread storage tube, SBS rack format, no cap, AlteClean  | Racked, 96/rack<br>10 racks/case |
| 201075   | 0.75mL 2D barcoded external thread storage tube, SBS rack format, precapped with screw cap, AlteClean  | Racked, 96/rack<br>10 racks/case |
| 201701   | Screw cap for 2D barcoded external thread storage tube, SBS 96 rack format, yellow, AlteClean  | Bulk packed, 960 caps/case       |
| 201100   | Empty SBS 96 format cap carrier for AlteTube screw caps, AlteClean   | 10 cap carriers/case             |
| 201103   | SBS cap carrier prefilled with yellow external thread AlteTube screw caps. For use with external thread storage tubes in SBS 96 rack format, AlteClean | 10 cap carriers/case             |
| 201502   | Empty SBS 96 format rack for 0.75mL 2D barcoded storage tube, AlteClean  | Rack, 10 Racks/Case              |

# 1.1ml Internal thread screw cap AlteTube™

|                                 | 1.1ml Internal screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 0.75  |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 36.5  |
| Tube height with screw cap - mm | 43.5  |
| Inner diameter - mm             | 6.8   |
| Outer diameter - mm             | 8.4   |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm       | 50  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description  | Packaging                        |
|----------|--|----------------------------------|
| 201030   | 1.1ml 2D barcoded internal thread storage tube, no cap, AlteClean  | Bulk packed, 960 /case           |
| 201032   | 1.1ml 2D barcoded internal thread storage tube, precapped with screw cap, AlteClean  | Bulk packed, 960/case            |
| 201034   | 1.1ml 2D barcoded internal thread storage tube, SBS rack format, with high lid, no cap, AlteClean  | Racked, 96/rack<br>10 racks/case |
| 201038   | 1.1ml 2D barcoded internal thread storage tube, SBS rack format, precapped with screw cap, AlteClean   | Racked, 96/rack<br>10 racks/case |
| 201700   | Screw cap for internal thread storage tubes, SBS 96 rack format, yellow, AlteClean   | Bulk packed, 960 caps/case       |
| 201100   | Empty SBS 96 format cap carrier for AlteTube screw caps, AlteClean   | 10 cap carriers/case             |
| 201101   | SBS cap carrier prefilled with yellow internal thread AlteTube screw caps. For use with internal thread storage tubes in SBS 96 rack format, AlteClean | 10 cap carriers/case             |
| 201505   | Empty SBS 96 format rack for 1.1ml 2D barcoded storage tubes, AlteClean  | 10 racks/case                    |

# **1.4ml Internal Thread Screw Cap AlteTube**™

|                                 | 1.4ml Internal screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 0.92  |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 44  |
| Tube height with screw cap - mm | 51  |
| Inner diameter - mm             | 6.8   |
| Outer diameter - mm             | 8.4   |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm       | 55.5  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description  | Packaging                        |
|----------|--|----------------------------------|
| 201042   | 1.4ml 2D barcoded internal thread storage tube, no cap, AlteClean  | Bulk packed, 960 /case           |
| 201044   | 1.4ml 2D barcoded internal thread storage tube, precapped with screw cap, AlteClean  | Bulk packed, 960/case            |
| 201048   | 1.4ml 2D barcoded internal thread storage tube, SBS rack format, with high lid, no cap, AlteClean  | Racked, 96/rack<br>10 racks/case |
| 201050   | 1.4ml 2D barcoded internal thread storage tube, SBS rack format, precapped with screw cap, AlteClean   | Racked, 96/rack<br>10 racks/case |
| 201700   | Screw cap for internal thread storage tubes, SBS 96 rack format, yellow, AlteClean   | Bulk packed, 960 caps/case       |
| 201100   | Empty SBS 96 format cap carrier for AlteTube screw caps, AlteClean   | 10 cap carriers/case             |
| 201101   | SBS cap carrier prefilled with yellow internal thread AlteTube screw caps. For use with internal thread storage tubes in SBS 96 rack format, AlteClean | 10 cap carriers/case             |
| 201507   | Empty SBS 96 format rack for 1.4ml 2D barcoded storage tubes, AlteClean  | 10 racks/case                    |

# 1.4ml External Thread Screw Cap AlteTube™

|                                 | 1.4ml External screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 0.95  |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 45.6  |
| Tube height with screw cap - mm | 48.6  |
| Inner diameter - mm             | 6.5   |
| Outer diameter - mm             | 8.5   |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 12 - SBS (96 tubes)   |
| Rack height with lid - mm       | 55.5  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description  | Packaging                        |
|----------|--|----------------------------------|
| 201062   | 1.4ml 2D barcoded external thread storage tube, no cap, AlteClean  | Bulk packed, 960/case            |
| 201063   | 1.4ml 2D barcoded external thread storage tube, precapped with screw cap, AlteClean  | Bulk packed, 960/case            |
| 201064   | 1.4ml 2D barcoded external thread storage tube, SBS rack format, no cap, AlteClean   | Racked, 96/rack<br>10 racks/case |
| 201061   | 1.4ml 2D barcoded external thread storage tube, SBS rack format, precapped with screw cap, AlteClean   | Racked, 96/rack<br>10 racks/case |
| 201701   | Screw cap for 2D barcoded external I thread storage tube, SBS 96 rack format, yellow, AlteClean  | Bulk, 960 caps/case              |
| 201100   | Empty SBS 96 format cap carrier for AlteTube screw caps, AlteClean   | 10 cap carriers/case             |
| 201103   | SBS cap carrier prefilled with yellow external thread AlteTube screw caps. For use with external thread storage tubes in SBS 96 rack format, AlteClean | 10 cap carriers/case             |
| 201507   | Empty SBS 96 format rack for 1.4ml 2D barcoded storage tubes, AlteClean  | 10 racks/case                    |

# **1.2ml Internal Thread Screw Cap AlteTube**™

|                                 | 1.2ml Internal screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 1.2   |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 40  |
| Tube height with screw cap - mm | 49.4  |
| Inner diameter - mm             | 10.8  |
| Outer diameter - mm             | 10.8  |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 6 - SBS (48 tubes)<br>9 x 9 (81tubes)                               |
| Rack height with lid - mm       | 47.6 - SBS rack<br>52 - Large format rack                               |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description   | Packaging                        |
|----------|---|----------------------------------|
| 201302-1 | 1.2ml 2D barcoded internal thread storage tube, precapped with screw cap, Sterile                     | Bulk packed<br>480 tubes/case    |
| 201303-1 | 1.2ml 2D barcoded Internal thread storage tube, SBS rack format, precapped with screw cap,<br>Sterile | Racked, 48/rack<br>10 racks/case |
| 201509   | Empty SBS 48 format rack for 1.2ml 2D barcoded tubes, AlteClean                                       | 10 racks/case                    |
| 201105   | Empty SBS 48 format cap carrier for AlteTube screw caps, AlteClean                                    | 10 cap carriers/case             |
| 201512   | Empty large format 81 rack for 1.2ml & 2ml 2D barcoded storage tubes, AlteClean                       | 1 rack/case                      |

# **1.2ml External Thread Screw Cap AlteTube**™

|                                 | 1.2ml External screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 1.2   |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 41  |
| Tube height with screw cap - mm | 42.9  |
| Inner diameter - mm             | 9.62  |
| Outer diameter - mm             | 12.3  |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 6 - SBS (48 tubes)<br>9 x 9 (81 tubes)                              |
| Rack height with lid - mm       | 47.6 - SBS rack<br>52 - Large format rack                               |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |







| Part No. | Description   | Packaging                        |
|----------|---|----------------------------------|
| 201300-1 | 1.2ml 2D barcoded external thread storage tube, precapped with screw cap, Sterile                     | Bulk packed<br>480 tubes/case    |
| 201301-1 | 1.2ml 2D barcoded external thread storage tube, SBS rack format, precapped with screw cap,<br>Sterile | Racked, 48/rack<br>10 racks/case |
| 201509   | Empty SBS 48 format rack for 1.2ml 2D barcoded tubes, AlteClean                                       | 10 racks/case                    |
| 201105   | Empty SBS 48 format cap carrier for AlteTube screw caps, AlteClean                                    | 10 cap carriers/case             |
| 201512   | Empty large format 81 rack for 1.2ml & 2ml 2D barcoded storage tubes, AlteClean                       | 1 rack/case                      |

# **1.8ml External Thread Screw Cap AlteTube**™

## Large rack format

|                                 | 1.8ml External screw cap   |
|---------------------------------|--|
| Max working volume - ml         | 1.5  |
| Min temperature - °C            | -196 (GPLN)  |
| Tube height - mm                | 39.95  |
| Tube height with screw cap - mm | 47.2   |
| Inner diameter - mm             | 9.48   |
| Outer diameter - mm             | 12.6   |
| Identification                  | 2D DataMatrix barcode  |
| Rack format                     | 10 x 10 (100 tubes)<br>9 x 9 (81 tubes)                                  |
| Rack height with lid - mm       | 52.5<br>90   |
| Sterility options               | AlteClean <sup>TM</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |





| Part No. | Description   | Packaging                           |
|----------|---|-------------------------------------|
| 202076-1 | 1.8ml 1D & 2D barcoded external thread storage tube, large rack format, precapped with screw cap, Sterile               | Bulk packed, 50/bag<br>10 bags/case |
| 202504   | Empty large format 100 rack for 1.8ml external thread, 1.2ml & 2ml internal thread 2D barcoded storage tubes, AlteClean | 1 rack/case                         |
| 202500   | Empty large format 81 rack for 1.8ml 2D barcoded storage tubes, AlteClean   | 1 rack/case                         |

# **2ml Internal Thread Screw Cap AlteTube**™

|                                 | 2ml Internal screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 1.8   |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 40  |
| Tube height with screw cap - mm | 49.4  |
| Inner diameter - mm             | 10.86   |
| Outer diameter - mm             | 12.3  |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 6 - SBS (48 tubes)<br>9 x 9 (81 tubes)                              |
| Rack height with lid - mm       | 54.1 - SBS rack<br>52 - Large format rack                               |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |









| Part No. | Description  | Packaging                                |
|----------|--|--|
| 201306-1 | 2ml 2D barcoded internal thread storage tube, precapped with screw cap, Sterile                  | Bulk packed<br>480 tubes/case            |
| 201307-1 | 2ml 2D barcoded internal thread storage tube, SBS rack format, precapped with screw cap, Sterile | Racked<br>48 tubes/rack<br>10 racks/case |
| 201510   | Empty SBS 48 format rack for 2ml 2D barcoded tubes, AlteClean                                    | 10 racks/case                            |
| 201105   | Empty SBS 48 format cap carrier for AlteTube screw caps, AlteClean                               | 10 cap carriers/case                     |
| 201512   | Empty large format 81 rack for 1.2ml & 2ml 2D barcoded storage tubes, AlteClean                  | 1 rack/case                              |

# **2ml External Thread Screw Cap AlteTube**™

|                                 | 2ml External screw cap  |
|---------------------------------|---|
| Max working volume - ml         | 2.0   |
| Min temperature - °C            | -196 (GPLN)   |
| Tube height - mm                | 47.5  |
| Tube height with screw cap - mm | 49.4  |
| Inner diameter - mm             | 9.62  |
| Outer diameter - mm             | 12.3  |
| Identification                  | 2D DataMatrix barcode   |
| Rack format                     | 8 x 6 - SBS (48 tubes)<br>9 x 9 (81 tubes)                              |
| Rack height with lid - mm       | 54.1 - SBS rack<br>52 - Large format rack                               |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |








| Part No. | Description  | Packaging                                |
|----------|--|--|
| 201304-1 | 2ml 2D barcoded external thread storage tube, precapped with screw cap, Sterile                  | Bulk packed<br>480 tubes/case            |
| 201305-1 | 2ml 2D barcoded external thread storage tube, SBS rack format, precapped with screw cap, Sterile | Racked<br>48 tubes/rack<br>10 racks/case |
| 201510   | Empty SBS 48 format rack for 2ml 2D barcoded tubes, AlteClean                                    | 10 racks/case                            |
| 201105   | Empty SBS 48 format cap carrier for AlteTube screw caps, AlteClean                               | 10 cap carriers/case                     |
| 201512   | Empty large format 81 rack for 1.2ml & 2ml 2D barcoded storage tubes, AlteClean                  | 1 rack/case                              |

# 5ml Internal Thread Screw Cap AlteTube™

|                                 | 5ml Internal screw cap  |  |
|---------------------------------|---|--|
| Max working volume - ml         | 4.5   |  |
| Min temperature - °C            | -196 (GPLN)   |  |
| Tube height - mm                | 77.5  |  |
| Tube height with screw cap - mm | 86.5  |  |
| Inner diameter - mm             | 10.86   |  |
| Outer diameter - mm             | 12.3  |  |
| Identification                  | 2D DataMatrix barcode   |  |
| Rack format                     | 8 x 6 - SBS (48 tubes)<br>9 x 9 (81 tubes)                              |  |
| Rack height with lid - mm       | 91.8 - SBS rack<br>90 - Large format rack                               |  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |  |








| Part No. | Description  | Packaging                                |
|----------|--|--|
| 201310-1 | 5ml 2D barcoded internal thread storage tube, precapped with screw cap, Sterile                  | Bulk packed<br>480 tubes/case            |
| 201311-1 | 5ml 2D barcoded internal thread storage tube, SBS rack format, precapped with screw cap, Sterile | Racked<br>48 tubes/rack<br>10 racks/case |
| 201511   | Empty SBS 48 format rack for 5ml 2D barcoded tubes, AlteClean                                    | 10 racks/case                            |
| 201105   | Empty SBS 48 format cap carrier for AlteTube screw caps, AlteClean                               | 10 cap carriers/case                     |
| 202502   | Empty large format 81 rack for 5ml 2D barcoded storage tubes, AlteClean                          | 1 rack/case                              |

# 5ml External Thread Screw Cap AlteTube $^{^{\text{TM}}}$

|                                 | 5ml External screw cap  |  |
|---------------------------------|---|--|
| Max working volume - ml         | 5.0   |  |
| Min temperature - °C            | -196 (GPLN)   |  |
| Tube height - mm                | 84.9  |  |
| Tube height with screw cap - mm | 86.8  |  |
| Inner diameter - mm             | 9.62  |  |
| Outer diameter - mm             | 12.3  |  |
| Identification                  | 2D DataMatrix barcode   |  |
| Rack format                     | 8 x 6 - SBS (48 tubes)<br>9 x 9 (81 tubes)                              |  |
| Rack height with lid - mm       | 91.8 - SBS rack<br>90 - Large format rack                               |  |
| Sterility options               | AlteClean <sup>™</sup><br>Sterile (E-Beam)<br>Ethylene Oxide on request |  |







| Part No. | Description  | Packaging                                |
|----------|--|--|
| 201308-1 | 5ml 2D barcoded external thread storage tube, precapped with screw cap, Sterile                  | Bulk packed<br>480 tubes/case            |
| 201309-1 | 5ml 2D barcoded external thread storage tube, SBS rack format, precapped with screw cap, Sterile | Racked<br>48 tubes/rack<br>10 racks/case |
| 201511   | Empty SBS 48 format rack for 5ml 2D barcoded tubes, AlteClean                                    | 10 racks/case                            |
| 201105   | Empty SBS 48 format cap carrier for AlteTube screw caps, AlteClean                               | 10 cap carriers/case                     |
| 202502   | Empty large format 81 rack for 5ml 2D barcoded storage tubes, AlteClean                          | 1 rack/case                              |

# AlteRead<sup>™</sup> 2D barcode readers

Barcode image capture using camera technology

The AlteRead 2D barcode camera rack readers include a 5-year warranty. They capture and decode 2D barcodes on tubes instantly, accelerating sample tracking in labs.

With virtually no installation and user-friendly software, every system is ready to use straight away.

A higher standard in every way

CAPTURE — DECODE — OUTPUT

AlteRead Single AlteRead Wireless AlteRead Pendant AlteRead SBS rack AlteRead Large rack











| Capture technology                | Camera                    | Camera         | Camera             | Camera            | Camera             |
|-----------------------------------|---------------------------|----------------|--------------------|-------------------|--------------------|
| Read and decode time (seconds)    | < 1                       | < 1            | < 1                | < 2               | < 2                |
| For use with                      | Single tubes              | Single tubes   | Single tubes       | SBS rack          | Large & SBS racks  |
| Barcode type                      | 1D & 2D                   | 1D & 2D        | 1D & 2D            | 2D                | 2D                 |
| SBS format: 24, 48 & 96           | n/a                       | n/a            | n/a                | Yes               | Yes                |
| Large format: 81, 100 & 196 racks | n/a                       | n/a            | n/a                | No                | Yes                |
| Custom rack                       | n/a                       | n/a            | n/a                | Yes               | Yes                |
| Detect missing tubes              | n/a                       | n/a            | n/a                | Yes               | Yes                |
| Automatic read                    | Yes                       | Yes            | Yes                | Yes               | Yes                |
| Wireless receiver                 | No                        | Yes            | Yes                | No                | No                 |
| Bluetooth connectivity            | No                        | Yes            | Yes                | No                | No                 |
| On board storage                  | No                        | No             | Yes                | No                | No                 |
| Direct data export                | Yes                       | Yes            | Yes                | No                | No                 |
| LCD display                       | No                        | No             | Yes                | No                | No                 |
| Dimensions in cm                  | 9.4 x 7.6 x 9.4           | 12.8 x 6.2 x 7 | 7 12.9 x 5.5 x 2.7 | 20.8 x 13.5 x 8   | 15.2 x 17.4 x 14.6 |
| Power                             | USB cable                 | USB charging   | g USB charging     | Universal power s | supply             |
| Compatible operating systems      | Windows / Mac C           | OS W           | /indows / Mac OS   | Windows           | Windows            |
| Integration toolkits              | n/a                       | n/a            | n/a                | API               | API                |
| Network connectivity              | Remote control capability |                |                    |                   |                    |
| Environment                       | 5°C to 35°C               |                |                    |                   |                    |
| Cold rack compatible              | CryoCover™                |                |                    |                   |                    |
|                                   | 5 years                   | 2 years        | 2 years            | 5 years           | 5 years            |

### Single tube readers

### Barcode image capture using camera technology

| Part No. | Product name  |
|----------|---|
| 255002   | AlteRead Pendant Single tube 2D & 1D barcode camera reader  |
| 255001   | AlteRead Wireless Single tube 2D & 1D barcode camera reader |
| 255000   | AlteRead Single tube 2D & 1D barcode camera reader          |







### AlteRead™ pendant

The first totally portable single 2D & 1D barcode reader.

#### Pocket size

Small and portable, with convenient lanyard included.

#### **LCD Display**

Shows 1D & 2D barcodes instantly on the easy to read screen.

### Check barcodes anywhere

Read barcodes anywhere, no need for a computer connection.

#### On-board storage

Option to store 2000 barcodes and download the results at a later time.

### AlteRead wireless

Read barcodes from anywhere in the lab. Small and lightweight.

#### IR sensing technology

Tubes and racks are instantly recognised for decoding.

### Fast decoding

Decode a single tube 2D or 1D barcode in less than 1 second.

### **Tube compatibility**

All 2D and 1D barcoded tubes from any manufacturer.

#### Versatile

Easy to use and display results in any application.

### SBS and large format rack 2D barcode reader

### Barcode image capture using camera technology

| Part No. | Product name  |
|----------|---|
| 252000   | AlteRead SBS rack 2D barcode camera reader                  |
| 254000   | AlteRead large format and SBS rack 2D barcode camera reader |





#### Instant results

Capture, read, decode and export data for a full rack in less than 2 seconds.

#### Easy to use

Includes pre-calibrated intuitive AlteRead software, ideal for multi-user labs.

### CryoCover™

Reduces condensation for uninterrupted reading of cold racks.

### **Compact designs**

Use little space on the bench or when integrated on the deck of robotic systems.

### AlteRead SBS rack format


Compatible with all SBS rack formats from any manufacturer.


### AlteRead Large rack format


Compatible with all large and SBS rack formats from any manufacturer.

### **AlteRead<sup>™</sup> software**

### 2D barcode camera rack reader software







### Included with the AlteRead SBS rack 2D barcode camera reader

Easy to use intuitive software, with minimal set-up.

#### Labware flexibility

Pre-calibrated software, compatible with all 24, 48, 96, 384, 81 and 100 format racks from any manufacturer.

#### **Automatic rack identification**

Decodes 1D barcodes on any rack side and 2D embedded rack barcodes. Barcode decoding is automatically initiated when racks are placed on the reader window.

### Barcode error handling

Adaptive mechanism detects and reports missing tubes. Advanced barcode error handling options.

### Advanced security settings

Separate administrator and user access.

#### **Customise export data settings**

Export barcode data as Excel or Word file format, with content defined by the user.

### **Database connectivity**

Set-up read results to automatically populate a database.

#### Integration and network connectivity

API for easy integration with LIMS software and other robotic systems. Remote control connectivity..

### **AlteRead**™

### 2D barcode reader set-up packs



### Store and track samples easily with all the kit supplied in one cost saving package



### Each AlteRead set-up pack includes:

- AlteRead™ rack 2D barcode camera reader
- AlteRead™ Single tube 2D barcode camera reader
- Windows laptop with AlteRead software pre-loaded
- 2D barcoded large format or SBS AlteTubes
- 2 cases of tubes, racks & caps in any packaging format
- AlteTube $^{\text{TM}}$  Large format or SBS tube selector

# AlteCap<sup>™</sup> Screw cap handling

Flexible systems for screw capping tasks

AltemisLab offers a comprehensive range of decapping and capping systems that help with the time challenges screw cap tube users often experience. All systems in the AlteCap<sup>TM</sup> range are compatible with a variety of different tube types and rack formats from any manufacturer.

Transforming lab technique

AlteCap™ Solo

|                           | AlteCap 5010        | ArteCap Switch      | Altecap Swift  |
|---------------------------|---------------------|---------------------|--|
|                           |                     | Minimum.            | And the second s |
| Tube throughput           | 1                   | 4, 6, 8 or 12       | 24, 48 or 96   |
| Operation modes           | Сар – Decap – Recap | Cap – Decap – Recap | Cap – Decap – Recap  |
| Туре                      | Handheld            | Handheld            | Benchtop   |
| Compatible with SBS racks | Yes                 | 24, 48 or 96        | 24, 48 or 96   |
| Tube manufacturer         | Any                 | Any                 | Any  |
| Fresh capping             | Cap carrier         | Cap carrier         | Cap carrier  |
| Stand included            | Yes                 | Yes                 | N/A  |
| Integration friendly      | N/A                 | N/A                 | Yes  |
| Dimensions - cm           | 2.5 x 19            | 19 x 12.5 x 8.2     | 36.5 x 24.7 x 33.2   |
| Power                     | USB charging        | USB charging        | Mains powered  |

AlteCap™ Switch

AlteCap™ Swift

### **AlteCap<sup>™</sup> Solo**

## Single screw cap handling for any manufacturer's tube types

| Part No. | Product name                                   |
|----------|--|
| 404001   | AlteCap Solo                                   |
| 404xxx   | Solos available for other manufacturer's tubes |



### **Flexible**

Easy to use, intuitive touch button controls. Light and portable.

### Precise torque control

Internal cap driver control ensures each screw cap is perfectly capped.

### **Functionality**

Recap tubes or discard used caps. Apply fresh caps from a cap carrier.

### Multi use stand

Convenient for storage, USB charging and holding caps for re-capping.





### **AlteCap**<sup>™</sup> Switch

## Semi-automated screw cap handling for any manufacturer's SBS tube types

| Part No. | Product name  |
|----------|---|
| 404000   | AlteCap Switch  |
| 4040XX   | Switch Cassettes – available for internal and external screw caps |



### Uniquely flexible

Interchangeable cap driver cassettes compatible with screw cap tubes in 24, 48 or 96 SBS rack formats from any manufacturer.

### **Functionality**

Process caps in columns or rows. Recap tubes or discard used caps. Apply fresh caps from a cap carrier.

#### Unparalleled design

Innovative two-handed control, for maximum user comfort and effortless screw cap processing.

#### Intuitive to use

Light touch buttons initiate decapping or capping. Low force dual button cap ejection.

### Precise torque control

Individual internal cap driver controls ensure each screw cap is perfectly capped every time.

#### Multi use stand

Includes portrait or landscape rack placement. Convenient for storage, USB charging and holding caps for re-capping. CAP — DECAP — RECAP

## The only decapper capable of switching between 4, 6, 8 and 12 formats

Traditional handheld decappers are uncomfortable to hold, restrict the view of tubes during processing and only work with one tube and rack type. The revolutionary designed  $AlteCap^{TM}$  Switch overcomes all of these limitations.

Balanced two-handed controls

Comfortable ergonomic curved design

Clear view of caps while processing

Switch cassettes for different tube or rack types from any manufacturer

Perfect capping of every tube

Individual cap driver torque control

Light touch cap and decap buttons

Long life rechargeable battery

Stand includes convenient portrait or landscape rack placement

Low force dual cap ejection system

Cassettes compatible with 24, 48 or 96 SBS racks

Process screw capped tubes in row or columns





### **AlteCap™ Swift DECAP**

## Automated screw cap handling for any manufacturer's tube types

| Part No. | Product name                       |
|----------|------------------------------------|
| 405000   | AlteCap™ Swift 96 DECAP            |
| 406000   | AlteCap™ Swift 48 DECAP            |
| 408000   | AlteCap™ Swift 24 DECAP            |
| 40xxxx   | AlteCap™ Swift cap driver cassette |

### Fast screw cap handling

Decap a full rack of tubes in less than 20 seconds.

#### **Flexible**

Easily switch between different manufacturer's tube and cap types.

### Highly engineered

Individual motors apply the same torque to provide excellent seal quality.

### **Functionality**

Different models available for 24, 48 and 96 SBS format racks.

### Cap driver cassettes

Compatible with all screw caps from different manufacturers.

### Versatile

Compatible with cap carriers for efficient capping of tubes.

#### **Small footprint**

Ideal for use on the bench or in the hood.

### Sample safety

Drip tray prevents cross-contamination of samples during cap removal.

#### Advanced design

Cap drivers and racks designed to allow capping and decapping of non-automation friendly screw caps.





### **AlteCap™ Swift Software**

### Intuitive and easy to use



#### **User friendly controls**

Easy to use touch screen display.

#### Intuitive

Select from pre-set programmes to fully decap, loosen, store or discard caps, or recap tubes.

### **AlteCap™ Swift DETECT**

### Includes optical detection grid

| Part No. | Product name                       |
|----------|------------------------------------|
| 405100   | AlteCap™ Swift 96 DETECT           |
| 406100   | AlteCap™ Swift 48 DETECT           |
| 408100   | AlteCap™ Swift 24 DETECT           |
| 40xxxx   | AlteCap™ Swift cap driver cassette |

### Fast rack processing

Switch between different tubes sizes without changing any settings.

#### Rack height detection

120 precise fibre optics automatically detect the tube or cap height.

### **AlteCap<sup>™</sup> Swift CELL**

## Integration model for automated screw cap decapping

| Part No. | Product name                       |
|----------|------------------------------------|
| 409000   | AlteCap™ Swift 96 CELL             |
| 409001   | AlteCap™ Swift 48 CELL             |
| 409002   | AlteCap™ Swift 24 CELL             |
| 40xxxx   | AlteCap™ Swift cap driver cassette |

#### Integration friendly

Includes an extended tray and an automatic door for easy access by a robotic arm and remote-control capability.

#### Rack height detection

120 precise fibre optics automatically detect the tube or cap height.

## **AlteTools**<sup>TM</sup>

### Useful kit for the lab

AltemisLab is all about looking for better ways to work. Our range of lab tools have been designed to make everyday lab tasks easier.

A better way

### Twin thawing station

Speed up sample processing and minimise data variability

| Part No. | Product name         |
|----------|----------------------|
| 702002   | Twin thawing station |

#### Safe ambient thawing

Utilises 2 powerful fans to circulate ambient air for safe thawing of all frozen sample types.

#### **Consistent results**

Highly uniform frozen sample thawing, ensuring reproducible results.

### Increase productivity

Reduce thaw times and speed up sample processing.

#### **Flexible**

Rack adapters are included and the flexible deck layout accommodates all types of labware.




SMART — SWIFT — ACCURATE

### Multi thawing stations

### Speed up sample processing and minimise data variability

| Part No. | Product name                    |
|----------|---------------------------------|
| 702003   | Multi thawing station – Ambient |
| 702004   | Multi thawing station – Heated  |



#### **Fast results**

Highly uniform frozen sample thawing ensuring reproducible results. Thaw up to 1000 samples in 9 minutes.

#### Safe ambient thawing

Ambient air is circulated by 7 powerful fans for fast consistent thawing of all frozen sample types.

### Easy to use

Pre-calibrated and only one switch operation.

#### Heated model

Combines a 600W heating module with 7 turbo fans. Suitable for samples with large molecule compounds and high melt carriers.

#### **Flexible**

Suitable for 96 well assay plates and racked tubes. Accessory racks are available for most non-SBS tube types.

### Integration friendly

Features a remote I/O for simple integration.

### **AlteCap**<sup>™</sup> septum capper

Semi-automated septum capper for most manufacturers' septum cap mats and tubes in SBS rack format

| Part No. | Product name           |
|----------|------------------------|
| 404700   | AlteCap™ Septum capper |



### Easy to use

Touch screen operation and no rack adapters required.

### Sophisticated electronics

Ensures pressure is applied across the full cap mat and all individual tubes are capped evenly.


### Compatibility

Works with most septum cap mats to cap 24, 48 and 96 SBS format tube racks and deep well storage plate.

#### Compact

Takes up little space on the bench or in a fume hood.

### **AlteCap**<sup>™</sup> **septum decappers**



| Part No. | Product name                               |
|----------|--|
| 705010   | AlteTube handheld septum decapper - Multi  |
| 705011   | AlteTube handheld septum decapper - Single |



### Increase throughput

Handheld septum decappers can be used for single or multiple septum cap removal from tubes.

### **AlteTube**<sup>™</sup> pick up device



#### Handy device

Use with internal or external 1.2ml, 2ml & 5ml AlteTubes. Easily pick or decap tubes in the AlteTube workstation rack.

| Part No. | Product name                                |
|----------|---|
| 705000   | AlteTube pick up device - Internal          |
| 705001   | AlteTube pick up device - External          |
| 705002   | Pick up device for use with 1.8ml AlteTubes |

### AlteTube<sup>™</sup> aluminium cooling/heating blocks



### Consistent sample temperature

Made from solid anodised Aluminium. Compatible with large format AlteTubes. Maintains sample order and prevents wet ice contamination.

| Part No. | Product name                       |
|----------|------------------------------------|
| 706000   | AlteTube aluminium rectangle block |
| 706001   | AlteTube aluminium round block     |

### **AlteTube**<sup>™</sup> workstation rack



### Helpful aid

Holds 50 large format AlteTubes. Anti-rotate base grips tubes securely for one-handed capping and decapping.

| Part No. | Product name              |
|----------|---------------------------|
| 704000   | AlteTube workstation rack |

### **AlteTube™ Selector**



### Ease of handling

Manually cherry pick a tube from the rack with the handheld AlteTube Selector. Compatible with 0.3ml to 5ml tubes from most manufactures.

| Part No. | Product name                     |
|----------|----------------------------------|
| 705012   | AlteTube selector - large format |
| 705003   | AlteTube selector - SBS format   |



### **AlteTube**<sup>™</sup> ice pans and ice buckets





### Use with AlteTube aluminium blocks

Made from Ethylene Vinyl Acetate (EVA). Highly durable, chemically resistant and inert to dry ice. Minimum temperature -196°C.

| Part No. | Product name                           |
|----------|--|
| 707000   | AlteTube ice bucket, 4L                |
| 707001   | AlteTube ice bucket, 2.5L              |
| 708000   | AlteTube ice pan, 9L                   |
| 708001   | AlteTube ice pan, 4L                   |
| 708002   | AlteTube ice pan, 2.5L                 |
| 708003   | AlteTube ice pan, 1L                   |
| 708004   | AlteTube ice pan with handle & lid, 9L |
| 708005   | AlteTube ice pan with handle & lid, 4L |

### Notes

### A higher standard in every way

### AlteTube™

### 2D barcoded tubes

Manufactured by dual injection resulting in the highly durable single piece AlteTube. Full range of tube sizes, cap types and rack formats.



### AlteRead™

### 2D barcoded camera readers

Image capture using camera technology. Capture, read, decode and export data for a rack of 2D barcoded tubes in seconds.



### $AlteCap^{TM}$

### Screw cap decapping

Revolutionary designed handheld and automated decappers. Quickly cap, decap, or recap tubes individually, by column or row, or full racks.



### **AlteTools**™

#### Useful kit for the lab

Accessories designed to make everyday lab tasks easier. Liquid handling, tube pickers, selectors, thawing stations, racks, ice pans and buckets.





### AltemisLab™ product customisation

AltemisLab could develop and manufacture custom products to meet your individual requirements.

Custom products are always assigned a unique and dedicated part number, ensuring a seamless ordering process.

Specific barcodes, different coloured caps, customer branding, and different equipment configurations, the possibilities for customisation are not limited.

### **AltemisLab**<sup>™</sup> support

With you beyond your purchase...

AltemisLab will remain your reliable partner. You can depend on our experienced team to support you and your products.

We provide expert installation, training, preventative maintenance and on-going service packages.

### A higher standard in every way

### **∆ltemis**Lab

Vanilla House Copley Hill Business Park Babraham Cambridge CB22 3GN United Kingdom

info@altemislab.com +44 (0) 1223 344900



Scan me to browse our products online